

## Cup Type Expansion Plugs (Listed by standard size)



Nominal Dia.	Type	Height	Closed End Dia.	Open End Dia.	Part # (Qty.)
1-13/16"SC	Steel	0.220"	1.799"	1.810"	555-058 (10)
1-53/64"	Steel	0.380"	1.819"	1.829"	555-083 (10)
1-7/8"	Steel	0.380"	1.887"	1.900"	555-038 (10)
1-7/8"	Brass	0.380"	1.887"	1.900"	565-038 (10)
1-7/8"	Steel	0.330"	1.899"	1.912"	555-039 (10)
1-57/64"	Steel	0.280"	1.883"	1.883"	555-123 (10)
1-29/32"SC	Brass	0.330"	1.899"	1.912"	565-039 (10)
1-59/64"SC	Steel	0.290"	1.917"	1.930"	555-075 (10)
1-15/16"	Steel	0.530"	1.940"	1.950"	555-040 (10)
1-15/16"	Brass	0.530"	1.940"	1.950"	565-040 (10)
1-61/64"	Steel	0.510"	1.947"	1.956"	555-041 (10)
1-61/64"	Brass	0.510"	1.947"	1.956"	565-041 (10)
1-61/64"SC	Steel	0.234"	1.943"	1.958"	555-109 (10)
1-31/32"SC	Steel	0.250"	1.974"	1.984"	555-042 (10)
2"	Steel	0.566"	2.000"	2.011"	555-044 (10)
2"	Brass	0.566"	2.000"	2.011"	565-044 (10)
2"SC	Steel	0.420"	1.997"	2.012"	555-069 (10)
2"SC	Brass	0.420"	1.997"	2.012"	565-069 (10)
2-1/64"	Steel	0.650"	2.003"	2.020"	555-045 (10)
2-1/64"	Brass	0.650"	2.003"	2.020"	565-045 (10)
2-1/64"SC	Steel	0.250"	2.011"	2.022"	555-046 (10)
2-3/64"SC	Steel	0.280"	2.052"	2.065"	555-047 (10)
2-1/16"	Steel	0.380"	2.061"	2.071"	555-048 (10)
2-1/16"	Brass	0.380"	2.061"	2.071"	565-048 (10)
2-1/16"SC	Steel	0.270"	2.060"	2.071"	555-073 (10)

Nominal Dia.	Type	Height	Closed End Dia.	Open End Dia.	Part # (Qty.)
2-1/16"SC	Brass	0.270"	2.060"	2.071"	565-073 (10)
2-3/32"	Steel	0.530"	2.093"	2.105"	555-085 (10)
2-3/32"SC	Steel	0.278"	2.094"	2.107"	555-049 (10)
2-3/32"SC	Brass	0.278"	2.094"	2.107"	565-049 (10)
2-7/64"	Steel	0.310"	2.101"	2.111"	555-080 (10)
2-1/8"	Steel	0.650"	2.144"	2.154"	555-050 (10)
2-1/8"SC	Steel	0.360"	2.147"	2.162"	555-070 (10)
2-9/64"	Steel	0.432"	2.137"	2.150"	555-065 (10)
2-9/64"SC	Steel	0.350"	2.132"	2.143"	555-076 (10)
2-3/16"SC	Steel	0.360"	2.195"	2.208"	555-051 (10)
2-7/32"SC	Steel	0.260"	2.219"	2.226"	555-081 (10)
2-7/32"	Steel	0.300"	2.217"	2.229"	555-071 (10)
2-1/4"	Steel	0.570"	2.251"	2.264"	555-052 (10)
2-1/4"	Brass	0.570"	2.251"	2.264"	565-052 (10)
2-1/4"	Steel	0.369"	2.224"	2.235"	555-111 (10)
2-1/4"	Steel	0.370"	2.251"	2.265"	555-084 (10)
2-9/32"	Steel	0.240"	2.276"	2.280"	555-124 (10)
2-17/64"	Steel	0.360"	2.150"	2.264"	555-126 (5)
2-25/64"	Steel	0.326"	2.354"	2.394"	555-127 (5)
2-1/2"	Steel	0.280"	2.495"	2.510"	555-055 (10)
2-1/2"	Steel	0.320"	2.495"	2.510"	555-128 (5)
2-1/2"	Brass	0.320"	2.495"	2.510"	565-128 (5)
2-5/8"	Steel	0.480"	2.613"	2.631"	555-057 (10)
2-7/8"	Steel	0.410"	2.885"	2.887"	555-112 (10)

## Cup Type Expansion Plugs (Listed by metric size)



Nominal Dia.	Type	Height	Closed End Dia.	Open End Dia.	Part # (Qty.)
6.55mm	Steel	0.115"	0.257"	0.264"	555-122 (10)
9.68mm	Steel	0.240"	0.377"	0.385"	555-115 (10)
11mm	Steel	0.182"	0.437"	0.437"	555-129 (5)
12.1mm	Steel	0.154"	0.475"	0.485"	555-106 (10)
12.67mm	Steel	0.240"	0.495"	0.502"	555-089 (10)
13.23mm	Steel	0.380"	0.518"	0.526"	555-074 (10)
14.16mm	Steel	0.197"	0.554"	0.563"	555-092 (10)
14.2mm	Steel	0.197"	0.554"	0.564"	555-130 (5)
14.68mm	Steel	0.220"	0.573"	0.582"	555-088 (10)
14.98mmSC	Steel	0.260"	0.577"	0.588"	555-114 (10)
16.2mm	Steel	0.220"	0.633"	0.642"	555-108 (10)
18.41mm	Steel	0.230"	0.721"	0.728"	555-102 (10)
18.41mm	Brass	0.230"	0.721"	0.728"	565-102 (10)
18.17mm	Steel	0.219"	0.713"	0.723"	555-107 (10)
20.28mm	Steel	0.212"	0.794"	0.805"	555-101 (10)
20.28mm	Brass	0.212"	0.794"	0.802"	565-101 (10)
25.26mm	Steel	0.250"	0.989"	1.002"	555-097 (10)
25.26mm	Brass	0.250"	0.989"	0.999"	565-097 (10)
28.16mm	Steel	0.341"	1.104"	1.120"	555-117 (10)
30mm	Steel	0.301"	1.185"	1.199"	555-100 (10)
30mm	Brass	0.301"	1.185"	1.199"	565-100 (10)
32.08mm	Steel	0.334"	1.257"	1.269"	555-132 (5)
34.3mm	Steel	0.497"	1.344"	1.359"	555-104 (10)

Nominal Dia.	Type	Height	Closed End Dia.	Open End Dia.	Part # (Qty.)
34.3mm	Brass	0.497"	1.344"	1.359"	565-104 (10)
35.21mm	Steel	0.380"	1.379"	1.393"	555-093 (10)
35.21mm	Brass	0.380"	1.379"	1.393"	565-093 (10)
36.79mm	Steel	0.410"	1.443"	1.453"	555-103 (10)
36.79mm	Brass	0.410"	1.443"	1.453"	565-103 (10)
38.25mm	Steel	0.220"	1.501"	1.513"	555-077 (10)
38.25mm	Brass	0.220"	1.501"	1.513"	565-077 (10)
39.06mm	Steel	0.330"	1.537"	1.545"	555-121 (10)
40mm	Steel	0.450"	1.574"	1.596"	555-095 (10)
40mm	Brass	0.450"	1.574"	1.596"	565-095 (10)
41.37mm	Steel	0.536"	1.624"	1.638"	555-087 (10)
41.65mm	Steel	0.355"	1.635"	1.647"	555-068 (10)
41.65mm	Brass	0.355"	1.635"	1.647"	565-068 (10)
42.24mm	Steel	0.500"	1.662"	0.167"	555-110 (10)
44.70mm	Steel	0.480"	1.749"	1.773"	555-096 (10)
44.70mm	Brass	0.480"	1.749"	1.773"	565-096 (10)
45.26mm	Steel	0.440"	1.774"	1.789"	555-098 (10)
45.26mm	Brass	0.440"	1.774"	1.789"	565-098 (10)
46.69mm	Steel	0.369"	1.832"	1.847"	555-099 (10)
46.69mm	Brass	0.369"	1.832"	1.847"	565-099 (10)
50mm	Steel	0.520"	1.945"	1.970"	555-105 (10)
50mm	Brass	0.520"	1.945"	1.970"	565-105 (10)
50.29mm	Steel	0.420"	1.972"	1.990"	555-094 (10)

## Cup Type Expansion Plugs (Listed by part number)

Part # (Qty.)	Diameter	Type	Height	Closed End Dia.	Open End Dia.
555-001 (10)	13/32"	Steel	0.500"	0.380"	0.427"
555-002 (10)	7/16"	Steel	0.250"	0.469"	0.464"
555-003 (10)	7/16"SC	Steel	0.170"	0.434"	0.448"
555-004 (10)	29/64"SC	Steel	0.220"	0.438"	0.456"
555-005 (10)	1/2"	Steel	0.280"	0.522"	0.536"
555-006 (10)	1/2"SC	Steel	0.180"	0.495"	0.508"
555-007 (10)	17/32"	Steel	0.180"	0.534"	0.547"
555-008 (10)	9/16"	Steel	0.265"	0.564"	0.574"
555-009 (10)	19/32"	Steel	0.280"	0.575"	0.593"
555-010 (10)	5/8"	Steel	0.650"	0.605"	0.652"
555-011 (10)	5/8"SC	Steel	0.230"	0.615"	0.627"
555-012 (10)	3/4"	Steel	0.250"	0.747"	0.757"
555-013 (10)	13/16"	Steel	0.330"	0.812"	0.825"

Part # (Qty.)	Diameter	Type	Height	Closed End Dia.	Open End Dia.
555-014 (10)	7/8"	Steel	0.335"	0.880"	0.890"
555-015 (10)	29/32"	Steel	0.310"	0.912"	0.925"
555-016 (10)	15/16"	Steel	0.380"	0.934"	0.950"
555-017 (10)	1"	Steel	0.435"	1.002"	1.010"
555-018 (10)	1"	Steel	0.260"	1.007"	1.020"
555-019 (10)	1-1/8"	Steel	0.505"	1.132"	1.145"
555-020 (10)	1-1/8"SC	Steel	0.400"	1.120"	1.132"
555-021 (10)	1-3/16"	Steel	0.510"	1.187"	1.199"
555-022 (10)	1-7/32"	Steel	0.500"	1.222"	1.235"
555-023 (10)	1-1/4"	Steel	0.400"	1.249"	1.260"
555-024 (10)	1-1/4"SC	Steel	0.280"	1.252"	1.263"
555-025 (10)	1-3/8"	Steel	0.325"	1.382"	1.395"
555-027 (10)	1-1/2"	Steel	0.570"	1.500"	1.511"

(continued on next page)

## Cup Type Expansion Plugs (Listed by part number)

Part # (Qty.)	Diameter	Type	Height	Closed End Dia.	Open End Dia.
555-028 (10)	1-1/2"	Steel	0.450"	1.502"	1.515"
555-029 (10)	1-9/16"	Steel	0.380"	1.567"	1.580"
555-030 (10)	1-5/8"	Steel	0.510"	1.630"	1.640"
555-031 (10)	1-5/8"	Steel	0.455"	1.642"	1.655"
555-032 (10)	1-45/64"	Steel	0.810"	1.697"	1.710"
555-033 (10)	1-45/64"SC	Steel	0.270"	1.697"	1.710"
555-034 (10)	1-3/4"	Steel	0.430"	1.751"	1.764"
555-036 (10)	1-49/64"	Steel	0.380"	1.757"	1.770"
555-037 (10)	1-49/64"SC	Steel	0.230"	1.752"	1.764"
555-038 (10)	1-7/8"	Steel	0.380"	1.887"	1.900"
555-039 (10)	1-7/8"	Steel	0.330"	1.899"	1.912"
555-040 (10)	1-15/16"	Steel	0.530"	1.940"	1.950"
555-041 (10)	1-61/64"	Steel	0.510"	1.947"	1.956"
555-042 (10)	1-31/32"SC	Steel	0.250"	1.974"	1.984"
555-044 (10)	2"	Steel	0.566"	2.000"	2.011"
555-045 (10)	2-1/64"	Steel	0.650"	2.003"	2.020"
555-046 (10)	2-1/64"SC	Steel	0.250"	2.011"	2.022"
555-047 (10)	2-3/64"SC	Steel	0.280"	2.052"	2.065"
555-048 (10)	2-1/16"	Steel	0.380"	2.061"	2.071"
555-049 (10)	2-3/32"SC	Steel	0.278"	2.094"	2.107"
555-050 (10)	2-1/8"	Steel	0.650"	2.144"	2.154"
555-051 (10)	2-3/16"SC	Steel	0.360"	2.195"	2.208"
555-052 (10)	2-1/4"	Steel	0.570"	2.251"	2.264"
555-055 (10)	2-1/2"	Steel	0.280"	2.495"	2.510"
555-057 (10)	2-5/8"	Steel	0.480"	2.613"	2.642"
555-058 (10)	1-13/16"SC	Steel	0.220"	1.799"	1.810"
555-059 (10)	1-3/4"	Steel	0.410"	1.760"	1.777"
555-065 (10)	2-9/64"	Steel	0.432"	2.137"	2.150"
555-066 (10)	45/64"SC	Steel	0.190"	0.699"	0.712"
555-067 (10)	39/64"SC	Steel	0.200"	0.622"	0.635"
555-068 (10)	41.65mm	Steel	0.355"	1.635"	1.647"
555-069 (10)	2"SC	Steel	0.420"	1.997"	2.012"
555-070 (10)	2-1/8"SC	Steel	0.360"	2.147"	2.162"
555-071 (10)	2-7/32"	Steel	0.300"	2.217"	2.229"
555-072 (10)	1-21/64"SC	Steel	0.300"	1.317"	1.330"
555-073 (10)	2-1/16"SC	Steel	0.270"	2.060"	2.071"
555-074 (10)	13.23mm	Steel	0.380"	0.518"	0.526"
555-075 (10)	1-59/64"SC	Steel	0.290"	1.917"	1.930"
555-076 (10)	2-9/64"SC	Steel	0.350"	2.132"	2.143"
555-077 (10)	38.25mm	Steel	0.220"	1.501"	1.513"
555-080 (10)	2-7/64"	Steel	0.310"	2.101"	2.111"
555-081 (10)	2-7/32"SC	Steel	0.260"	2.219"	2.226"
555-082 (10)	45/64"	Steel	0.220"	0.692"	0.703"
555-083 (10)	1-53/64"	Steel	0.380"	1.819"	1.829"
555-084 (10)	2-1/4"	Steel	0.370"	2.251"	2.265"
555-085 (10)	2-3/32"	Steel	0.530"	2.093"	2.105"
555-086 (10)	1-3/16"	Steel	0.410"	1.189"	1.202"
555-087 (10)	41.37mm	Steel	0.536"	1.624"	1.638"
555-088 (10)	14.68mm	Steel	0.220"	0.573"	0.582"
555-089 (10)	12.67mm	Steel	0.240"	0.495"	0.502"
555-090 (10)	21/32"	Steel	0.320"	0.634"	0.659"
555-091 (10)	1"SC	Steel	0.308"	0.982"	1.000"
555-092 (10)	14.16mm	Steel	0.197"	0.554"	0.563"
555-093 (10)	35.21mm	Steel	0.380"	1.379"	1.393"
555-094 (10)	50.29mm	Steel	0.420"	1.972"	1.990"
555-095 (10)	40mm	Steel	0.450"	1.574"	1.596"
555-096 (10)	44.70mm	Steel	0.480"	1.749"	1.773"
555-097 (10)	25.26mm	Steel	0.250"	0.989"	1.002"
555-098 (10)	45.26mm	Steel	0.440"	1.774"	1.789"
555-099 (10)	46.69mm	Steel	0.369"	1.832"	1.847"
555-100 (10)	30mm	Steel	0.301"	1.185"	1.199"
555-101 (10)	20.28mm	Steel	0.212"	0.794"	0.805"
555-102 (10)	18.41mm	Steel	0.230"	0.721"	0.728"
555-103 (10)	36.79mm	Steel	0.410"	1.443"	1.453"
555-104 (10)	34.3mm	Steel	0.497"	1.344"	1.359"
555-105 (10)	50mm	Steel	0.520"	1.945"	1.970"
555-106 (10)	12.1mm	Steel	0.154"	0.475"	0.485"
555-107 (10)	18.17mm	Steel	0.219"	0.713"	0.723"
555-108 (10)	16.2mm	Steel	0.220"	0.633"	0.642"
555-109 (10)	1-61/64"SC	Steel	0.234"	1.943"	1.958"
555-110 (10)	42.24mm	Steel	0.500"	1.662"	0.167"
555-111 (10)	2-1/4"	Steel	0.369"	2.224"	2.235"
555-112 (10)	2-7/8"	Steel	0.410"	2.885"	2.887"
555-113 (10)	29/32"	Steel	0.316"	0.911"	0.914"

Part # (Qty.)	Diameter	Type	Height	Closed End Dia.	Open End Dia.
555-114 (10)	14.98mmSC	Steel	0.260"	0.577"	0.588"
555-115 (10)	9.68mm	Steel	0.240"	0.377"	0.385"
555-116 (10)	1-33/64"	Steel	0.310"	1.517"	1.522"
555-117 (10)	28.16mm	Steel	0.341"	1.104"	1.120"
555-118 (10)	53/64"	Steel	0.290"	0.823"	0.825"
555-119 (10)	7/8"	Steel	0.500"	0.871"	0.875"
555-120 (10)	43/64"	Steel	0.270"	0.666"	0.666"
555-121 (10)	39.06mm	Steel	0.330"	1.537"	1.545"
555-122 (10)	6.55mm	Steel	0.115"	0.257"	0.264"
555-123 (10)	1-57/64"	Steel	0.280"	1.883"	1.883"
555-124 (10)	2-9/32"	Steel	0.240"	2.276"	2.280"
555-125 (10)	61/64"	Steel	0.250"	0.947"	0.953"
555-126 (5)	2-17/64"	Steel	0.360"	2.150"	2.264"
555-127 (5)	2-25/64"	Steel	0.326"	2.354"	2.394"
555-128 (5)	2-1/2"	Steel	0.320"	2.495"	2.510"
555-129 (5)	11mm	Steel	0.182"	0.437"	0.437"
555-130 (5)	14.2mm	Steel	0.197"	0.554"	0.564"
555-131 (5)	21/32"	Steel	0.351"	0.640"	0.656"
555-132 (5)	32.08mm	Steel	0.334"	1.257"	1.269"
565-005 (10)	1/2"	Brass	0.280"	0.522"	0.536"
565-008 (10)	9/16"	Brass	0.265"	0.564"	0.574"
565-011 (10)	5/8"SC	Brass	0.230"	0.615"	0.627"
565-012 (10)	3/4"	Brass	0.250"	0.747"	0.757"
565-014 (10)	7/8"	Brass	0.335"	0.880"	0.890"
565-015 (10)	29/32"	Brass	0.310"	0.912"	0.925"
565-016 (10)	15/16"	Brass	0.380"	0.934"	0.950"
565-017 (10)	1"	Brass	0.435"	1.002"	1.010"
565-018 (10)	1"	Brass	0.260"	1.007"	1.020"
565-019 (10)	1-1/8"	Brass	0.505"	1.132"	1.145"
565-020 (10)	1-1/8"SC	Brass	0.400"	1.120"	1.132"
565-023 (10)	1-1/4"	Brass	0.400"	1.249"	1.260"
565-024 (10)	1-1/4"SC	Brass	0.280"	1.252"	1.263"
565-025 (10)	1-3/8"	Brass	0.325"	1.382"	1.395"
565-026 (10)	1-31/64"SC	Brass	0.380"	1.507"	1.487"
565-027 (10)	1-1/2"	Brass	0.570"	1.500"	1.511"
565-028 (10)	1-1/2"	Brass	0.450"	1.502"	1.515"
565-029 (10)	1-9/16"	Brass	0.380"	1.567"	1.580"
565-030 (10)	1-5/8"	Brass	0.510"	1.630"	1.640"
565-031 (10)	1-5/8"	Brass	0.455"	1.642"	1.655"
565-032 (10)	1-45/64"	Brass	0.810"	1.697"	1.710"
565-033 (10)	1-45/64"SC	Brass	0.270"	1.697"	1.710"
565-034 (10)	1-3/4"	Brass	0.430"	1.751"	1.764"
565-036 (10)	1-49/64"	Brass	0.380"	1.757"	1.770"
565-037 (10)	1-49/64"SC	Brass	0.230"	1.752"	1.761"
565-038 (10)	1-7/8"	Brass	0.380"	1.887"	1.900"
565-039 (10)	1-29/32"SC	Brass	0.330"	1.899"	1.912"
565-040 (10)	1-15/16"	Brass	0.530"	1.940"	1.950"
565-041 (10)	1-61/64"	Brass	0.510"	1.947"	1.956"
565-044 (10)	2"	Brass	0.566"	2.000"	2.011"
565-045 (10)	2-1/64"	Brass	0.650"	2.003"	2.020"
565-048 (10)	2-1/16"	Brass	0.380"	2.061"	2.071"
565-049 (10)	2-3/32"SC	Brass	0.278"	2.094"	2.107"
565-052 (10)	2-1/4"	Brass	0.570"	2.251"	2.264"
565-059 (10)	1-3/4"	Brass	0.410"	1.760"	1.777"
565-068 (10)	41.65mm	Brass	0.355"	1.635"	1.647"
565-069 (10)	2"SC	Brass	0.420"	1.997"	2.012"
565-072 (10)	1-21/64"SC	Brass	0.300"	1.317"	1.330"
565-073 (10)	2-1/16"SC	Brass	0.270"	2.060"	2.071"
565-077 (10)	38.25mm	Brass	0.220"	1.501"	1.513"
565-093 (10)	35.21mm	Brass	0.380"	1.379"	1.393"
565-095 (10)	40mm	Brass	0.450"	1.574"	1.596"
565-096 (10)	44.70mm	Brass	0.480"	1.749"	1.773"
565-097 (10)	25.26mm	Brass	0.250"	0.989"	0.999"
565-098 (10)	45.26mm	Brass	0.440"	1.774"	1.789"
565-099 (10)	46.69mm	Brass	0.360"	1.832"	1.847"
565-100 (10)	30mm	Brass	0.301"	1.185"	1.199"
565-101 (10)	20.28mm	Brass	0.212"	0.794"	0.802"
565-102 (10)	18.41mm	Brass	0.230"	0.721"	0.728"
565-103 (10)	36.79mm	Brass	0.410"	1.443"	1.453"
565-104 (10)	34.3mm	Brass	0.497"	1.344"	1.359"
565-105 (10)	50mm	Brass	0.520"	1.945"	1.970"
565-128 (5)	2-1/2"	Brass	0.320"	2.495"	2.510"
565-828 (100)	1-1/2"	Brass	0.450"	1.502"	1.515"

## Pilot Seal™ Expansion Plugs

- Dorman's unique patented Pilot Seal™ design ensures proper plug sealing during installation, reducing the chances of leakage
- The Pilot Seal™ design helps plug alignment for a perfect fit and a reduced, tapered diameter for installation without "cocking". The design also includes a slightly larger diameter sealing surface for a tight, leak-proof fit.

Type	Nominal Size	Part # (Qty.)
Brass	1-1/2"	564-028 (10)
Brass	1-5/8"	564-030 (10)
Steel	1-1/2"	554-028 (10)

Type	Nominal Size	Part # (Qty.)
Steel	1-5/8"	554-030 (10)
Steel	1-3/4"	554-034 (10)
Steel	34.3mm	554-104 (10)



## Reverse Taper Cup Type Expansion Plugs



Nominal Dia.	Metric Size	Height	Closed End	Open End	Part # (Qty.)
19/16"	14.21mm	0.390"	0.559"	0.559"	555-062 (10)
19/32"	14.38mm	0.210"	0.570"	0.565"	555-060 (10)
9/32"	15.16mm	0.324"	0.598"	0.595"	555-063 (10)
41/64"	16.43mm	0.327"	0.647"	0.646"	555-061 (10)
51/64"	20.00mm	0.380"	0.789"	0.788"	555-078 (10)

Nominal Dia.	Metric Size	Height	Closed End	Open End	Part # (Qty.)
1-31/64"	38.03mm	0.380"	1.507"	1.490"	555-026 (10)
2-1/4"	57.17mm	0.380"	2.259"	2.245"	555-053 (10)
2-3/8"	60.61mm	0.310"	2.388"	2.385"	555-054 (10)
2-1/2"	65.08mm	0.300"	2.574"	2.550"	555-056 (10)
2-1/2"	63.5mm	0.338"	2.502"	2.497"	555-079 (10)

## Concave Expansion Plugs




Nominal Dia.	Metric Dia.	Type	Decimal Size	Part # (Qty.)
3/8"	9.45mm	Steel	0.372"	550-001 (10)
7/16"	11.05mm	Steel	0.435"	550-002 (10)
1/2"	12.65mm	Steel	0.498"	550-003 (10)
9/16"	14.22mm	Steel	0.560"	550-004 (10)
5/8"	15.82mm	Brass	0.623"	560-005 (10)
5/8"	15.82mm	Steel	0.623"	550-005 (10)
11/16"	17.40mm	Steel	0.685"	550-006 (10)
3/4"	19.00mm	Brass	0.748"	560-007 (10)
3/4"	19.17mm	Steel	0.750"	550-007 (10)
13/16"	20.57mm	Steel	0.810"	550-008 (10)
53/64"	21.06mm	Steel	0.829"	550-037 (10)
27/32"	21.44mm	Steel	0.844"	550-009 (10)
7/8"	22.17mm	Brass	0.873"	560-010 (10)
7/8"	22.17mm	Steel	0.873"	550-010 (10)
15/16"	23.75mm	Steel	0.935"	550-011 (10)
1"	25.35mm	Brass	0.998"	560-012 (10)
1"	25.35mm	Steel	0.998"	550-012 (10)
1-1/32"	26.14mm	Steel	1.029"	550-013 (10)
1-1/16"	26.92mm	Steel	1.060"	550-014 (10)
1-1/8"	28.52mm	Brass	1.123"	560-015 (10)
1-1/8"	28.52mm	Steel	1.123"	550-015 (10)
1-3/16"	30.10mm	Brass	1.185"	560-016 (10)
1-3/16"	30.10mm	Steel	1.185"	550-016 (10)
1-1/4"	31.70mm	Brass	1.248"	560-017 (10)

Nominal Dia.	Metric Dia.	Type	Decimal Size	Part # (Qty.)
1-1/4"	31.70mm	Steel	1.248"	550-017 (10)
1-5/16"	33.20mm	Steel	1.307"	550-018 (10)
1-3/8"	34.80mm	Steel	1.370"	550-019 (10)
1-3/8"	34.93mm	Brass	1.375"	560-019 (10)
1-7/16"	36.37mm	Steel	1.432"	550-020 (10)
1-31/64"	37.46mm	Steel	1.475"	550-021 (10)
1-31/64"	37.59mm	Brass	1.480"	560-021 (10)
1-1/2"	37.97mm	Steel	1.495"	550-022 (10)
1-1/2"	38.10mm	Brass	1.500"	560-022 (10)
1-37/64"	39.68mm	Steel	1.562"	550-038 (10)
1-5/8"	41.15mm	Steel	1.620"	550-023 (10)
1-5/8"	41.28mm	Brass	1.625"	560-023 (10)
1-47/64"	43.94mm	Steel	1.730"	550-024 (10)
1-3/4"	44.32mm	Steel	1.745"	550-025 (10)
1-3/4"	44.45mm	Brass	1.750"	560-025 (10)
1-7/8"	47.50mm	Steel	1.870"	550-027 (10)
2"	50.67mm	Steel	2.000"	550-028 (10)
2"	50.80mm	Brass	2.000"	560-028 (10)
2-1/8"	53.85mm	Steel	2.120"	550-030 (10)
2-1/4"	57.02mm	Steel	2.245"	550-031 (10)
2-1/2"	63.50mm	Steel	2.500"	550-032 (10)
2-3/4"	69.85mm	Steel	2.750"	550-033 (10)
3"	76.07mm	Steel	2.995"	550-034 (10)
3-1/4"	82.55mm	Steel	3.250"	550-036 (10)

## Quick Seal® Copper Expansion Plugs

Standard Size	Decimal Size	Metric Size	Maximum Expansion	Metric Max. Expansion	Part # (Qty.)
1-1/2"	1.500"	38.5mm	1.530"	38.862mm	568-009 (5)
1-5/8"	1.625"	42mm	1.655"	42.037mm	568-010 (5)
1-3/4"	1.750"	45mm	1.780"	45.212mm	568-011 (5)



## Quick Seal® Rubber Expansion Plugs

Metric Size	Size Range	Metric Range	Part # (Qty.)
19mm	3/4" - 7/8"	19mm - 22mm	570-003 (5)
22mm	7/8" - 1"	22mm - 25mm	570-004 (5)
25mm	1" - 1-1/8"	25mm - 28mm	570-005 (5)
28mm	1-1/8" - 1-1/4"	28mm - 31mm	570-006 (5)
31mm	1-1/4" - 1-3/8"	31mm - 34mm	570-007 (5)
34mm	1-3/8" - 1-1/2"	34mm - 38mm	570-008 (5)
38mm	1-1/2" - 1-5/8"	38mm - 41mm	570-009 (5)

Metric Size	Size Range	Metric Range	Part # (Qty.)
41mm	1-5/8" - 1-3/4"	41mm - 44mm	570-010 (5)
44mm	1-3/4" - 1-7/8"	44mm - 47mm	570-011 (5)
47mm	1-7/8" - 2"	47mm - 50mm	570-012 (5)
50mm	2" - 2-1/8"	50mm - 53mm	570-014 (5)
53mm	2-1/8" - 2-1/4"	53mm - 57mm	570-016 (5)
57mm	2-1/4" - 2-3/8"	57mm - 60mm	570-017 (5)



Complete expansion plug applications can be found at  
[www.DormanProducts.com](http://www.DormanProducts.com)

OR through your electronic  
 catalog system



Check out our 2005 A

**DORMAN**  
 NEW SINCE 1918

Find Your Part By:

- Vehicle Application Search
  - Choose Your Year
- OR Part Category Search
  - Part Category
- OR Part Number Search
  - 965-025
- OR Keyword Search
  - Enter Keyword...

Have a new product idea?  
 Let us know, or tell us the last part you bought at the OE dealer.

New Product Updates [Register Here](#)

HOME | NEW PRODUCTS | MARKETING SUPPORT | TECHNICAL PRODUCT INFO | CONTACT | CORPORATE INFO

**DETAIL BUYERS GUIDE**

Expansion Plugs, Cup Type Expansion Plugs

Item Number	Description
565-025	Cup Type Expansion Plugs

**Detailed Applications**

Year	Make	Model	Engine
2001	TOYOTA TRUCK	TUNDRA	V6 - 3.4L (3378 cc): GAS: FI: N: 5VZFE
2001	TOYOTA TRUCK	TACOMA	V6 - 3.4L (3378 cc): GAS: FI: N: 5VZFE
2001	TOYOTA TRUCK	4 RUNNER	V6 - 3.4L (3378 cc): GAS: FI: N: 5VZFE
2001	PLYMOUTH	NEON	L4 - 2.0L (122 CID): GAS: FI: N: C
2001	MERCURY	COUGAR	L4 - 2.0L (121 CID): GAS: FI: N: 3
2001	FORD	Z2	L4 - 2.0L (121 CID): GAS: FI: N: 3
2001	FORD	FOCUS: Z3	L4 - 2.0L (121 CID): GAS: FI: N: 3
2001	FORD	FOCUS: ZTS	L4 - 2.0L (121 CID): GAS: FI: N: 3
2001	FORD	FOCUS: SE	L4 - 2.0L (122 CID): GAS: FI: N: 3

Marketing

